

卫生级管件
Sanitary Pipe Fittings




卫生级管件
Sanitary Pipe Fittings

DIN




DIN 焊接式弯头 (90°)
DIN 90° Welded Elbow

SIZE	L1	D	R	T
DN10	26	13	26	1.5
DN15	35	19	35	1.5
DN20	40	23	40	1.5
DN25	50	29	50	1.5
DN32	55	35	55	1.5
DN40	60	41	60	1.5
DN50	70	53	70	1.5
DN65	80	70	80	2
DN80	90	85	90	2
DN100	100	104	100	2
DN125	187	129	187	2
DN150	225	154	225	2
DN200	300	204	300	2
DN250	375	254	375	2
DN300	450	306	450	2




DIN 加直端焊接式弯头 (90°)
DIN 90° Welded Elbow With Straight End

SIZE	L1	D	R	T
DN10	38	13	26	1.5
DN15	47	19	35	1.5
DN20	52	23	40	1.5
DN25	70	29	50	1.5
DN32	78	35	55	1.5
DN40	85	41	60	1.5
DN50	97	53	70	1.5
DN65	110	70	80	2
DN80	118	85	90	2
DN100	140	104	100	2
DN125	227	129	187	2
DN150	265	154	225	2



DIN 卡箍式弯头 (90°)
DIN 90° Clamped Elbow


SIZE	L1	B	R	T
DN15	53	34	35	1.5
DN20	58	34	40	1.5
DN25	71	50.5	50	1.5
DN32	76.5	50.5	55	1.5
DN40	81.5	50.5	60	1.5
DN50	91.5	64	70	1.5
DN65	108	91	80	2
DN80	118	106	90	2
DN100	128	119	100	2



本 DIN 尺寸数据仅为 DIN 其中一个系列。请参考图册尾页了解更多 DIN 系列数据。
This DIN dimension is only one of DIN series. Please check more DIN series information on the final pages of this book.


DIN 焊接式弯头 (45°)
DIN 45° Welded Elbow

SIZE	L1	D	R	T
DN10	10.7	13	26	1.5
DN15	14.5	19	35	1.5
DN20	16.5	23	40	1.5
DN25	20.7	29	50	1.5
DN32	22.8	35	55	1.5
DN40	24.8	41	60	1.5
DN50	29	53	70	1.5
DN65	33.2	70	80	2
DN80	37.3	85	90	2
DN100	41.5	104	100	2
DN125	77.5	129	187.5	2
DN150	93.2	154	225	2
DN200	174.3	204	300	2




DIN 焊接式长弯头 (45°)
DIN 45° Long Welded Elbow

SIZE	L1	D	R	T
DN10	35.8	13	26	1.5
DN15	39.5	19	35	1.5
DN20	41.6	23	40	1.5
DN25	60.7	29	50	1.5
DN32	62.8	35	55	1.5
DN40	64.9	41	60	1.5
DN50	69	53	70	1.5
DN65	73	70	80	2
DN80	92.3	85	90	2
DN100	96.4	104	100	2
DN125	135.2	129	187.5	2



DIN 焊接式弯头 (180°)
DIN 180° Welded Elbow


SIZE	L1	D	R	T
DN10	52	13	26	1.5
DN15	70	19	35	1.5
DN20	80	23	40	1.5
DN25	100	29	50	1.5
DN32	110	35	55	1.5
DN40	120	41	60	1.5
DN50	140	53	70	1.5
DN65	160	70	80	2
DN80	180	85	90	2
DN100	200	104	100	2
DN125	375	129	187.5	2
DN150	450	154	225	2



本 DIN 尺寸数据仅为 DIN 其中一个系列。请参考图册尾页了解更多 DIN 系列数据。
This DIN dimension is only one of DIN series. Please check more DIN series information on the final pages of this book.


DIN 短型焊接式三通
DIN Short Welded Tee

SIZE	L1	L2	D	T
DN10	7.5	26	13	1.5
DN15	10.5	35	19	1.5
DN20	12.5	40	23	1.5
DN25	16	50	29	1.5
DN32	19.5	55	35	1.5
DN40	22.5	60	41	1.5
DN50	30	70	53	1.5
DN65	39.5	80	70	2
DN80	47.5	90	85	2
DN100	58	100	104	2
DN125	70.5	187	129	2
DN150	83	225	154	2




DIN 长型焊接式三通
DIN Long Welded Tee

SIZE	L1	D	T
DN10	26	13	1.5
DN15	35	19	1.5
DN20	40	23	1.5
DN25	50	29	1.5
DN32	55	35	1.5
DN40	60	41	1.5
DN50	70	53	1.5
DN65	80	70	2
DN80	90	85	2
DN100	100	104	2
DN125	187	129	2
DN150	225	154	2




DIN 焊接式四通
DIN Welded Cross

SIZE	L1	D	T
DN10	26	13	1.5
DN15	35	19	1.5
DN20	40	23	1.5
DN25	50	29	1.5
DN32	55	35	1.5
DN40	60	41	1.5
DN50	70	53	1.5
DN65	80	70	2
DN80	90	85	2
DN100	100	104	2
DN125	187	129	2
DN150	225	154	2



本 DIN 尺寸数据仅为 DIN 其中一个系列。请参考图册尾页了解更多 DIN 系列数据。
This DIN dimension is only one of DIN series. Please check more DIN series information on the final pages of this book.





DIN 变径三通
DIN Reducing Tee

SIZE	L1	D	d	T
DN25/20	50	29	23	1.5
DN32/25	55	35	29	1.5
DN40/25	60	41	29	1.5
DN40/32	60	41	35	1.5
DN50/25	70	53	29	1.5
DN50/32	70	53	35	1.5
DN50/40	70	53	41	1.5
DN65/25	80	70	29	2
DN65/32	80	70	35	2
DN65/40	80	70	41	2
DN65/50	80	70	53	2
DN80/50	90	85	53	2
DN80/65	90	85	70	2
DN100/50	100	104	53	2
DN100/65	100	104	70	2
DN100/80	100	104	85	2

DIN 焊接式大小头
DIN Welded Reducer

SIZE	L	D	d	T
DN20/15	7	23	19	1.5
DN25/20	11	29	23	1.5
DN32/20	22	35	23	1.5
DN32/25	11	35	29	1.5
DN40/20	33	41	23	1.5
DN40/25	22	41	29	1.5
DN40/32	11	41	35	1.5
DN50/25	44	53	29	1.5
DN50/32	33	53	35	1.5
DN50/40	22	53	41	1.5
DN65/25	73	70	29	2
DN65/32	62	70	35	2
DN65/40	51	70	41	2
DN65/50	29	70	53	2
DN80/40	78	85	41	2
DN80/50	56	85	53	2
DN80/65	27	85	70	2
DN100/50	90	104	53	2
DN100/65	61	104	70	2
DN100/80	34	104	85	2

本 DIN 尺寸数据仅为 DIN 其中一个系列。请参考图册尾页了解更多 DIN 系列数据。
This DIN dimension is only one of DIN series. Please check more DIN series information on the final pages of this book.



DIN 长型焊接式大小头
DIN Long Welded Reducer

SIZE	L	D	d	T
DN20/15	60	23	19	1.5
DN25/20	60	29	23	1.5
DN32/20	80	35	23	1.5
DN32/25	80	35	29	1.5
DN40/20	102	41	23	1.5
DN40/25	102	41	29	1.5
DN40/32	88	41	35	1.5
DN50/25	115	53	29	1.5
DN50/32	129	53	35	1.5
DN50/40	113	53	41	1.5
DN65/25	125	70	29	2
DN65/32	125	70	35	2
DN65/40	120	70	41	2
DN65/50	130	70	53	2
DN80/40	140	85	41	2
DN80/50	125	85	53	2
DN80/65	120	85	70	2
DN100/50	160	104	53	2
DN100/65	127	104	70	2
DN100/80	120	104	85	2

DIN 卡箍式大小头
DIN Clamped Reducer

SIZE	L	B	b	T
DN20/15	86	34	34	1.5
DN25/20	86	50.5	34	1.5
DN32/20	106	50.5	34	1.5
DN32/25	106	50.5	50.5	1.5
DN40/20	128	50.5	34	1.5
DN40/25	128	50.5	50.5	1.5
DN40/32	128	50.5	50.5	1.5
DN50/25	141	64	50.5	1.5
DN50/32	141	64	50.5	1.5
DN50/40	141	64	50.5	1.5
DN65/25	151	91	50.5	2
DN65/32	151	91	50.5	2
DN65/40	146	91	50.5	2
DN65/50	146	91	64	2
DN80/40	166	106	50.5	2
DN80/50	151	106	64	2
DN80/65	146	106	91	2
DN100/50	192	119	64	2
DN100/65	159	119	91	2
DN100/80	152	119	106	2

本 DIN 尺寸数据仅为 DIN 其中一个系列。请参考图册尾页了解更多 DIN 系列数据。
This DIN dimension is only one of DIN series. Please check more DIN series information on the final pages of this book.

SMS 焊接式弯头 (90°)
SMS 90° Welded Elbow

SIZE	L1	D	R	T1	T2
25	38.1	25.4	38.1	1.25	1.5
38	57.1	38.1	57.1	1.25	1.5
51	76.2	50.8	76.2	1.25	1.5
63.5	95.2	63.5	95.2	1.6	2
76	114.3	76.2	114.3	1.6	2
101.6	152.4	101.6	152.4	2	2

SMS 加直端焊接式弯头 (90°)
SMS 90°Welded Elbow With Straight End

SIZE	L1	D	R	T1	T2
25	55	25.4	32	1.25	1.5
38	70	38.1	45	1.25	1.5
51	82	50.8	58	1.25	1.5
63.5	105	63.5	70	1.6	2
76	110	76.2	76	1.6	2
101.6	150	101.6	110	2	2

SMS 短型焊接式弯头 (45°)
SMS 45° Short Welded Elbow

SIZE	L1	D	R	T1	T2
25	15.5	25.4	38.1	1.25	1.5
38	23.6	38.1	57.2	1.25	1.5
51	31.6	50.8	76.2	1.25	1.5
63.5	39.5	63.5	95.3	1.6	2
76	47.2	76.2	114.3	1.6	2
101.6	63	101.6	152.4	2	2

SMS 长型按接收弯头 (45°)
SMS 45° Long Welded Elbow

SIZE	L1	D	R	T1	T2
25	42.5	25.4	38.7	1.25	1.5
38	56.8	38.1	57.2	1.25	1.5
51	68.6	50.8	76.2	1.25	1.5
63.5	78.4	63.5	95.2	1.6	2
76	85.2	76.2	114.3	1.6	2
101.6	103	101.6	152.4	2	2

SMS 焊接式四通
SMS Welded Cross

SIZE	L1	L2	D	T1	T2
25	55	14.5	25.4	1.25	1.5
38	70	21.5	38.1	1.25	1.5
51	82	29	50.8	1.25	1.5
63.5	105	36	63.5	1.6	2
76	110	43	76.2	1.6	2
101.6	150	57	101.6	2	2

SMS 短型焊接式三通
SMS Short Welded Tee

SIZE	L1	L2	D	T1	T2
25	15	55	25.4	1.25	1.5
38	21.5	70	38.1	1.25	1.5
51	29	82	50.8	1.25	1.5
63.5	36	105	63.5	1.6	2
76	43	110	76.2	1.6	2
101.6	57	150	101.6	2	2


SMS 长型焊接式三通
SMS Long Welded Tee

SIZE	L1	D	T1	T2
25	55	25.4	1.25	1.5
38	70	38.1	1.25	1.5
51	82	50.8	1.25	1.5
63.5	105	63.5	1.6	2
76	110	76.2	1.6	2
101.6	150	101.6	2	2

SMS 变径焊接式三通
SMS Reducing Welded Tee


SIZE	L1	D	d
25×19	55	25	19.05
38×19	70	38	19.05
38×25	70	38	25
51×25	82	51	25
51×38	82	51	38
63.5×25	105	63.5	25
63.5×38	105	63.5	38
63.5×51	105	63.5	51
76×25	110	76.1	25
76×38	110	76.1	38
76×51	110	76.1	51
76×63.5	110	76.1	63
101.6×51	150	101.6	51
101.6×63.5	150	101.6	63.5
101.6×76	150	101.6	76.1

可根据客户需求选择壁厚 (T=1.25/1.5、1.6/2mm)
Customer's selection (T=1.25/1.5、1.6/2mm)




SMS 焊接式大小头
SMS Welded Reducer

SIZE	L	L1	D	d
38×25	39	46	38.1	25.4
51×25	57	68	50.8	25.4
51×38	39	47	50.8	38.1
63.5×25	74	92	63.5	25.4
63.5×38	57	70	63.5	38.1
63.5×51	39	44	63.5	50.8
76×25	92	117	76.2	25.4
76×38	74	92	76.2	38.1
76×51	57	68	76.2	50.8
76×63.5	39	47	76.2	63.5
101.6×51	95	117	101.6	50.8
101.6×63.5	78	94	101.6	63.5
101.6×76	60	74	101.6	76.2



SMS 加直端同心大小头
SMS Concentric Reducers With Straight End


SIZE	D	d	L
25×19	25	19.05	85
38×19	38	19.05	85
38×25	38	25	99
51×25	51	25	117
51×38	51	38	99
63.5×25	63.5	25	134
63.5×38	63.5	38	117.5
63.5×51	63.5	51	99
76×25	76.1	25	152
76×38	76.1	38	134
76×51	76.1	51	117
76×63.5	76.1	63.5	99
101.6×51	101.6	51	155
101.6×63	101.6	63.5	138
101.6×76	101.6	76.1	120



SMS 加直端偏心大小头
SMS Eccentric Reducers With Straight End


SIZE	D	d	L
38×25	38	25	106
51×25	51	25	128
51×38	51	38	107
63.5×25	63.5	25	150.5
63.5×38	63.5	38	130
63.5×51	63.5	51	104
76×38	76.1	38	149
76×51	76.1	51	128
76×63.5	76.1	63.5	107
101.6×51	101.6	51	177
101.6×63.5	101.6	63.5	154
101.6×76	101.6	76.1	134

可根据客户需求选择壁厚 (T=1.25/1.5、1.6/2mm)
Customer's selection (T=1.25/1.5、1.6/2mm)




3A 焊接式弯头 (90°)
3A 90° Welded Elbow

SIZE	L1	D	R	T
1/2"	19.1	12.7	19.1	1.65
3/4"	28.6	19.05	28.6	1.65
1"	38.1	25.4	38.1	1.65
1.5"	57.2	38.1	57.2	1.65
2"	76.2	50.8	76.2	1.65
2.5"	95.3	63.5	95.3	1.65
3"	114.3	76.2	114.3	1.65
4"	152.4	101.6	152.4	2.1
6"	228.6	152.4	228.6	2.77




3A 加直端焊接式弯头 (90°)
3A 90° Welded Elbow With Straight End

SIZE	L1	D	R	T
1/2"	76.2	12.7	19.1	1.65
3/4"	76.2	19.05	28.6	1.65
1"	52.4	25.4	38.1	1.65
1.5"	74.6	38.1	57.2	1.65
2"	103.2	50.8	76.2	1.65
2.5"	131.8	63.5	95.3	1.65
3"	160.3	76.2	114.3	1.65
4"	211.1	101.6	152.4	2.1
6"	292.1	152.4	228.6	2.77




3A 卡箍式弯头 (90°)
3A 90° Clamped Elbow

SIZE	L1	B	R	T
1"	50.8	50.5	38.1	1.65
1.5"	69.9	50.5	57.2	1.65
2"	88.9	64	76.2	1.65
2.5"	108	77.5	95.3	1.65
3"	127	91	114.3	1.65
4"	168.2	119	152.4	2.1
6"	250.8	167	228.6	2.77




3A 焊接式弯头 (45°)
3A 45° Welded Elbow

SIZE	L1	D	R	T
1/2"	7.9	12.7	19.05	1.65
3/4"	11.9	19.05	28.5	1.65
1"	15.8	25.4	38.1	1.65
1.5"	23.8	38.1	57.2	1.65
2"	31.8	50.8	76.2	1.65
2.5"	39.6	63.5	95.3	1.65
3"	47.6	76.2	114.3	1.65
4"	63.5	101.6	152.4	2.1
6"	94.7	152.4	228.6	2.77




3A 加直端焊接式弯头 (45°)
3A 45° Welded Elbow With Straight End

SIZE	L1	D	R	T
1"	30.2	25.4	38.1	1.65
1.5"	41.3	38.1	57.2	1.65
2"	58.7	50.8	76.2	1.65
2.5"	76.2	63.5	95.3	1.65
3"	93.7	76.2	114.3	1.65
4"	122.2	101.6	152.4	2.1
6"	158.2	152.4	228.6	2.77




3A 卡箍式弯头 (45°)
3A 45° Clamped Elbow

SIZE	L1	B	R	T
1"	28.5	50.5	38.1	1.65
1.5"	36.5	50.5	57.2	1.65
2"	44.5	64	76.2	1.65
2.5"	52.3	77.5	95.3	1.65
3"	60.3	91	114.3	1.65
4"	76.2	119	152.4	2.1




3A 焊接式弯头 (180°)
3A 180° Welded Elbow

SIZE	L1	D	R	T
1"	76.2	25.4	38.1	1.65
1.5"	114.3	38.1	57.2	1.65
2"	152.4	50.8	76.2	1.65
2.5"	190.5	63.5	95.3	1.65
3"	228.6	76.2	114.3	1.65
4"	304.8	101.6	152.4	2.1




3A 短型焊接式三通
3A Short Welded Tee

SIZE	L1	D	T
1/2"	28.6	12.7	1.65
3/4"	28.6	19.05	1.65
1"	28.6	25.4	1.65
1.5"	42	38.1	1.65
2"	52.3	50.8	1.65
2.5"	59.5	63.5	1.65
3"	65.9	76.2	1.65
4"	87.3	101.6	2.1
6"	127	152.4	2.77




3A 长型焊接式三通
3A Long Welded Tee

SIZE	L1	D	T
1/2"	47.6	12.7	1.65
3/4"	47.6	19.05	1.65
1"	47.6	25.4	1.65
1.5"	57.2	38.1	1.65
2"	76.2	50.8	1.65
2.5"	76.2	63.5	1.65
3"	82.6	76.2	1.65
4"	98.4	101.6	2.1
6"	143	152.4	2.77




3A 卡箍式三通
3A Clamped Tee

SIZE	L1	B	T
1/2"	60.3	25.2	1.65
3/4"	60.3	25.2	1.65
1"	60.3	50.5	1.65
1.5"	69.9	50.5	1.65
2"	88.9	64	1.65
2.5"	88.9	77.5	1.65
3"	95.3	91	1.65
4"	114.2	119	2.1
6"	164.5	167	2.77




3A 焊接式四通 (长型)
3A Welded Cross (Long-Type)

SIZE	L1	D	T
1/2"	47.6	12.7	1.65
3/4"	47.6	19.05	1.65
1"	47.6	25.4	1.65
1.5"	57.2	38.1	1.65
2"	76.2	50.8	1.65
2.5"	76.2	63.5	1.65
3"	82.6	76.2	1.65
4"	98.4	101.6	2.1
6"	143	152.4	2.77



3A 焊接式四通 (短型)
3A Welded Cross (Short-Type)

SIZE	L1	D	T
1"	28.6	25.4	1.65
1.5"	42.1	38.1	1.65
2"	52.4	50.8	1.65
2.5"	54.5	63.5	1.65
3"	65.9	76.2	1.65
4"	87.3	101.6	2.1







3A 卡箍式四通
3A Clamped Cross

SIZE	L1	B	T
1/2"	60.3	25.2	1.65
3/4"	60.3	25.2	1.65
1"	60.3	50.5	1.65
1.5"	69.9	50.5	1.65
2"	88.9	64	1.65
2.5"	88.9	91	1.65
3"	95.3	106	1.65
4"	114.3	119	2.1
6"	164.5	167	2.77

3A 焊接式大小头
3A Welded Reducer

SIZE	L	D	d	T
1"/0.5"	50.8	25.4	12.7	1.65×1.65
1.5"/0.75"	76.2	38.1	19.05	1.65×1.65
1.5"/1"	50.8	38.1	25.4	1.65×1.65
2"/1"	101.6	50.8	25.4	1.65×1.65
2"/1.5"	50.8	50.8	38.1	1.65×1.65
2.5"/1"	152.4	63.5	25.4	1.65×1.65
2.5"/1.5"	101.6	63.5	38.1	1.65×1.65
2.5"/2"	50.8	63.5	50.8	1.65×1.65
3"/1"	203.2	76.2	25.4	1.65×1.65
3"/1.5"	152.4	76.2	38.1	1.65×1.65
3"/2"	101.6	76.2	50.8	1.65×1.65
3"/2.5"	50.8	76.2	63.5	1.65×1.65
4"/1"	304.8	101.6	25.4	2.1×1.65
4"/1.5"	254	101.6	38.1	2.1×1.65
4"/2"	203.2	101.6	50.8	2.1×1.65
4"/2.5"	152.4	101.6	63.5	2.1×1.65
4"/3"	101.6	101.6	76.2	2.1×1.65
6"/2"	140	152.4	50.8	2.1×1.65
6"/2.5"	140	152.4	63.5	2.1×1.65
6"/3"	140	152.4	76.2	2.1×1.65
6"/4"	140	152.4	101.6	2.1×1.65




3A 卡箍式大小头
3A Clamped Reducer

SIZE	L	B	b	T
1.5"/1"	76.2	50.5	50.5	1.65×1.65
2"/1"	127	64	50.5	1.65×1.65
2"/1.5"	76.2	64	50.5	1.65×1.65
2.5"/1.5"	127	77.5	50.5	1.65×1.65
2.5"/2"	76.2	77.5	64	1.65×1.65
3"/1.5"	177.8	91	50.5	1.65×1.65
3"/2"	127	91	64	1.65×1.65
3"/2.5"	76.2	91	77.5	1.65×1.65
4"/2"	231.8	119	64	2.1×1.65
4"/2.5"	181	119	77.5	2.1×1.65
4"/3"	130.2	119	91	2.1×1.65


3A 对焊Y型三通
3A Butt Weld Y-Type Tee

SIZE	L1	L2	L3	D	T
1/2"	152.4	127	25.4	12.7	1.65
3/4"	152.4	127	25.4	19.05	1.65
1"	152.4	127	25.4	25.4	1.65
1.5"	187.3	173.1	30.2	38.1	1.65
2"	222.2	180.9	41.3	50.8	1.65
2.5"	254	215.9	38.1	63.5	1.65
3"	273.1	225.4	47.6	76.2	1.65
4"	325.5	273.1	52.4	101.6	2.1
6"	419.1	317.5	101.6	152.4	2.1




3A 对焊Y型三通
3A 28WB-Butt Weld Y-Type Tee

SIZE	L	D	T
1/2"	50.8	12.7	1.65
3/4"	50.8	19.05	1.65
1"	76.2	25.4	1.65
1.5"	76.2	38.1	1.65
2"	101.6	50.8	1.65
2.5"	127	63.5	1.65
3"	152.4	76.2	1.65
4"	203.2	101.6	2.1
6"	203.2	152.4	2.1



3A 卡箍式双弯头 (90°)
3A 90°Clamp Double Bend

SIZE	L1	L2	B	T
1"	50.8	101.6	50.5	1.65
1.25"	60.4	120.8	50.5	1.65
1.5"	69.85	139.7	50.5	1.65
2"	88.9	177.8	64	1.65
2.5"	107.9	215.9	77.5	1.65
3"	127	228.6	91	1.65
4"	168.4	336.8	119	2.1



ISO/IDF 焊接式弯头 (90°)
ISO/IDF 90° Welded Elbow

SIZE	L1	D	R	T
1"	33.5	25.4	33.5	1.5
1.25"	38	32	38	1.5
1.5"	48.5	38.1	48.5	1.5
2"	60.5	50.8	60.5	1.5
2.5"	83.5	63.5	83.5	2
3"	88.5	76.2	88.5	2
3.5"	103.5	89	103.5	2
4"	127	101.6	127	2

ISO/IDF 卡箍式弯头 (90°)
ISO/IDF 90° Clamped Elbow

SIZE	L1	B	R	T
1"	55	50.5	33.5	1.5
1.25"	59.5	50.5	38	1.5
1.5"	70	50.5	48.5	1.5
2"	82	64	60.5	1.5
2.5"	105	77.5	83.5	2
3"	110	91	88.5	2
3.5"	125	106	103.5	2
4"	143.5	119	122	2

ISO/IDF 焊接式弯头 (45°)
ISO/IDF 45° Welded Elbow

SIZE	L1	D	R	T
1"	13.9	25.4	33.5	1.5
1.25"	15.7	32	38	1.5
1.5"	20.1	38.1	48.5	1.5
2"	25.1	50.8	60.5	1.5
2.5"	34.6	63.5	83.5	2
3"	36.7	76.2	88.5	2
3.5"	42.9	89	103.5	2
4"	52.6	101.6	127	2

ISO/IDF 卡箍式弯头 (45°)
ISO/IDF 45° Clamped Elbow

SIZE	L1	D	R	T
1"	35.4	50.5	33.5	1.5
1.25"	37.2	50.5	38	1.5
1.5"	41.6	50.5	48.5	1.5
2"	46.6	64	60.5	1.5
2.5"	56.1	77.5	83.5	2
3"	58.2	91	88.5	2
3.5"	64.4	106	103.5	2
4"	72.3	119	127	2

ISO/IDF 焊接式三通
ISO/IDF Welded Tee


SIZE	L1	D	T
1"	33.5	25.4	1.5
1.25"	38.1	31.8	1.5
1.5"	48.5	38.1	1.5
2"	60.5	50.8	1.5
2.5"	83.5	63.5	2
3"	88.5	76.2	2
3.5"	103.5	88.9	2
4"	127	101.6	2

ISO/IDF 卡箍式三通
ISO/IDF Clamped Tee

SIZE	L1	D	B	T
1"	55	50.5	50.5	1.5
1.25"	59.5	50.5	50.5	1.5
1.5"	70	50.5	50.5	1.5
2"	82	64	64	1.5
2.5"	105	77.5	77.5	2
3"	110	91	91	2
3.5"	125	106	106	2
4"	148.5	119	119	2


ISO/IDF 焊接式大小头
ISO/IDF Welded Reducer

SIZE	L	D	d	T
1"/0.75"	38	25.4	19.05	1.5×1.5
1.25"/1"	50	31.8	25.4	1.5×1.5
1.5"/1.25"	50	38.1	31.8	1.5×1.5
1.5"/1"	50	38.1	25.4	1.5×1.5
2"/1.5"	67	50.8	38.1	1.5×1.5
2"/1.25"	67	50.8	31.8	1.5×1.5
2"/1"	67	50.8	25.4	1.5×1.5
2.5"/2"	67	63.5	50.8	2×1.5
2.5"/1.5"	67	63.5	38.1	2×1.5
2.5"/1"	67	63.5	25.4	2×1.5
3"/2.5"	67	76.2	63.5	2×2
3"/2"	67	76.2	50.8	2×1.5
3"/1.5"	67	76.2	38.1	2×1.5
3.5"/3"	76	88.9	76.2	2×2
3.5"/2.5"	67	88.9	63.5	2×2
3.5"/2"	67	88.9	50.8	2×1.5
4"/3.5"	87	101.6	88.9	2×2
4"/3"	87	101.6	76.2	2×2
4"/2.5"	87	101.6	63.5	2×2
4"/2"	87	101.6	50.8	2×1.5





ISO/IDF 焊接式四通
ISO/IDF Welded Cross

SIZE	L1	D	T
1"	33.5	25.4	1.5
1.25"	38	32	1.5
1.5"	48.5	38	1.5
2"	60.5	51	1.5
2.5"	83.5	63.5	2
3"	88.5	76.2	2
3.5"	103.5	89	2
4"	127	101.6	2




ISO/IDF 卡箍式大小头
ISO/IDF Clamped Reducer

SIZE	L	B	b	T
1"/0.75"	80	50.5	34	1.5×1.5
1.25"/1"	92	50.5	50.5	1.5×1.5
1.5"/1.25"	92	50.5	50.5	1.5×1.5
1.5"/1"	92	50.5	50.5	1.5×1.5
2"/1.5"	109	64	50.5	1.5×1.5
2"/1.25"	109	64	50.5	1.5×1.5
2"/1"	109	64	50.5	1.5×1.5
2.5"/2"	109	77.5	64	2×1.5
2.5"/1.5"	109	77.5	50.5	2×1.5
2.5"/1"	109	77.5	50.5	2×1.5
3"/2.5"	109	91	77.5	2×2
3"/2"	109	91	64	2×1.5
3"/1.5"	109	91	50.5	2×1.5
3.5"/3"	109	106	91	2×2
3.5"/2.5"	109	106	77.5	2×2
3.5"/2"	109	106	64	2×1.5
4"/3.5"	129	119	106	2×2
4"/3"	129	119	91	2×2
4"/2.5"	129	119	77.5	2×2
4"/2"	129	119	64	2×1.5




AS 长型加直端焊接式弯头 (90°)
AS 90° Long Welded Elbow With Straight End

SIZE	L1	D	R	T
1/2"	49.1	12.7	19.05	1.6
3/4"	58.6	19.1	28.6	1.6
1"	68.1	25.4	38.1	1.6
1.25"	77.7	31.8	47.7	1.6
1.5"	87	38.1	57.2	1.6
2"	106.2	50.8	76.2	1.6
2.5"	125	63.5	95	1.6
3"	144.2	76.2	114.3	1.6
4"	182.4	101.6	152.4	2




AS 焊接式弯头 (90°)
AS 90° Welded Elbow

SIZE	L1	D	R	T
1/2"	19.1	12.7	19.05	1.6
3/4"	28.6	19.1	28.6	1.6
1"	38.1	25.4	38.1	1.6
1.25"	47.7	31.8	47.7	1.6
1.5"	57	38.1	57.2	1.6
2"	76.2	50.8	76.2	1.6
2.5"	95	63.5	95	1.6
3"	114.2	76.2	114.3	1.6
4"	152.4	101.6	152.4	2




AS 长型焊接式弯头 (45°)
AS 45° Long Welded Elbow

SIZE	L1	D	R	T
1/2"	37.9	12.7	19.05	1.6
3/4"	41.8	19.1	28.6	1.6
1"	45.8	25.4	38.1	1.6
1.25"	49.7	31.8	47.7	1.6
1.5"	53.7	38.1	57.2	1.6
2"	61.6	50.8	76.2	1.6
2.5"	69.5	63.5	95	1.6
3"	77.3	76.2	114.3	1.6
4"	92.8	101.6	152.4	2




AS 长型焊接式三通
AS Long Welded Tee

SIZE	L1	D	T
1/2"	49.1	12.7	1.6
3/4"	58.6	19.1	1.6
1"	68.1	25.4	1.6
1.25"	77.7	31.8	1.6
1.5"	87	38.1	1.6
2"	106.2	50.8	1.6
2.5"	125	63.5	1.6
3"	144.2	76.2	1.6
4"	182.4	101.6	2




AS 短型焊接式三通
AS Equal Welded Tee

SIZE	L1	D	T
1/2"	19.1	12.7	1.6
3/4"	28.6	19.1	1.6
1"	38.1	25.4	1.6
1.25"	47.7	31.8	1.6
1.5"	57	38.1	1.6
2"	76.2	50.8	1.6
2.5"	95	63.5	1.6
3"	114.2	76.2	1.6
4"	152.4	101.6	2




AS 平口焊接式三通
AS Short Welded Tee

SIZE	L1	L2	D	T
1/2"	19.1	9.35	12.7	1.6
3/4"	28.6	12.55	19.1	1.6
1"	38.1	15.7	25.4	1.6
1.25"	47.7	18.9	31.8	1.6
1.5"	57	22.05	38.1	1.6
2"	76.2	28.4	50.8	1.6
2.5"	95	34.75	63.5	1.6
3"	114.2	41.1	76.2	1.6
4"	152.4	53.8	101.6	2




AS 变径焊接式三通
AS Reducing Welded Tee

SIZE	L1	D	d	T
1.5"×1"	80	38.1	25.4	1.6
2"×1"	80	50.8	25.4	1.6
2"×1.5"	80	50.8	38.1	1.6
2.5"×1.5"	80	63.5	38.1	1.6
2.5"×2"	80	63.5	50.8	1.6
3"×1.5"	80	76.2	38.1	1.6
3"×2"	80	76.2	50.8	1.6
3"×2.5"	80	76.2	63.5	1.6
4"×2"	80	101.6	50.8	1.6
4"×2.5"	80	101.6	63.5	1.6
4"×3"	80	101.6	76.2	2




AS 平口变径式三通
AS Short Reducing Welded Tee

SIZE	L1	L2	D	d	T
1.5"×1"	80	22.05	38.1	25.4	1.6
2"×1"	80	28.4	50.8	25.4	1.6
2"×1.5"	80	28.4	50.8	38.1	1.6
2.5"×1.5"	80	34.75	63.5	38.1	1.6
2.5"×2"	80	34.75	63.5	50.8	1.6
3"×1.5"	80	41.1	76.2	38.1	1.6
3"×2"	80	41.1	76.2	50.8	1.6
3"×2.5"	80	41.1	76.2	63.5	1.6
4"×2"	80	53.8	101.6	50.8	1.6
4"×2.5"	80	53.8	101.6	63.5	1.6
4"×3"	80	53.8	101.6	76.2	2




AS 长型焊接式四通
AS Long Welded Cross

SIZE	L1	D	T
1/2"	49.1	12.7	1.6
3/4"	58.6	19.1	1.6
1"	68.1	25.4	1.6
1.25"	77.7	31.8	1.6
1.5"	87	38.1	1.6
2"	106.2	50.8	1.6
2.5"	125	63.5	1.6
3"	144.2	76.2	1.6
4"	182.4	101.6	2




AS 短型焊接式四通
AS Short Welded Cross


SIZE	L1	D	T
1/2"	19.1	12.7	1.6
3/4"	28.6	19.1	1.6
1"	38.1	25.4	1.6
1.25"	47.7	31.8	1.6
1.5"	57	38.1	1.6
2"	76.2	50.8	1.6
2.5"	95	63.5	1.6
3"	114.2	76.2	1.6
4"	152.4	101.6	2



AS 焊接式大小头
AS Welded Reducer


SIZE	L	D	b	T
3/4"×1/2"	19.1	19.1	12.7	1.6
1"×1/2"	25.4	25.4	12.7	1.6
1"×3/4"	25.4	25.4	19.1	1.6
1.25"×3/4"	31.8	31.8	19.1	1.6
1.25"×1"	31.8	31.8	25.4	1.6
1.5"×3/4"	38.1	38.1	19.1	1.6
1.5"×1"	38.1	38.1	25.4	1.6
2"×1/2"	50.8	50.8	12.7	1.6
2"×3/4"	50.8	50.8	19.1	1.6
2"×1"	50.8	50.8	25.4	1.6
2"×1.25"	50.8	50.8	31.8	1.6
2"×1.5"	50.8	50.8	38.1	1.6
2.5"×1"	63.5	63.5	25.4	1.6
2.5"×1.25"	63.5	63.5	31.8	1.6
2.5"×1.5"	63.5	63.5	38.1	1.6
2.5"×2"	63.5	63.5	50.8	1.6
3"×1"	76.2	76.2	25.4	1.6
3"×1.25"	76.2	76.2	31.8	1.6
3"×1.5"	76.2	76.2	38.1	1.6
3"×2"	76.2	76.2	50.8	1.6
3"×2.5"	76.2	76.2	63.5	1.6
4"×1"	101.6	101.6	25.4	2
4"×1.25"	101.6	101.6	31.8	2
4"×1.5"	101.6	101.6	38.1	2
4"×2"	101.6	101.6	50.8	2
4"×2.5"	101.6	101.6	63.5	2
4"×3"	101.6	101.6	76.2	2






BS 焊接式弯头 (90°)
BS Welded Elbow

SIZE	L1	R	D	T
1"	43.5	38.1	25.4	1.6
1.5"	63.5	57.2	38.1	1.6
2"	88.5	76.2	50.8	1.6
2.5"	113.5	95.3	63.5	1.6
3"	133.5	114.3	76.2	1.6
4"	173.5	152.4	101.6	2




BS 长型加直端焊接式弯头 (90°)
BS 90°Welded Elbow With Straight End

SIZE	L1	R	D	T
1"	65	38.1	25.4	1.6
1.5"	85	57.2	38.1	1.6
2"	110	76.2	50.8	1.6
2.5"	135	95.3	63.5	1.6
3"	155	114.3	76.2	1.6
4"	195	152.4	101.6	2




BS 卡箍式弯头 (90°)
BS 90° Clamped Elbow

SIZE	L1	B	R	T
1"	65	50.5	38.1	1.6
1.5"	85	50.5	57.2	1.6
2"	110	64	76.2	1.6
2.5"	135	77.5	95.3	1.6
3"	155	91	114.3	1.6
4"	195	119	152.4	2




BS 焊接式弯头 (45°)
BS 45° Short Welded Elbow

SIZE	L1	D	R	T
1"	15.8	25.4	38.1	1.6
1.5"	23.7	38.1	57.2	1.6
2"	31.8	50.8	76.2	1.6
2.5"	39.6	63.5	95.3	1.6
3"	47.5	76.2	114.3	1.6
4"	63.2	101.6	152.4	2




BS 加直端焊接式弯头 (45°)
BS 45° Long Welded Elbow

SIZE	L1	D	R	T
1"	30.2	25.4	38.1	1.6
1.5"	41.3	38.1	57.2	1.6
2"	58.7	50.8	76.2	1.6
2.5"	76.2	63.5	95.3	1.6
3"	93.7	76.2	114.3	1.6
4"	122.2	101.6	152.4	2



BS 短型焊接式三通
BS Short Welded Tee


SIZE	L1	D	T
1"	43.5	25.4	1.6
1.5"	63.5	38.1	1.6
2"	88.5	50.8	1.6
2.5"	113.5	63.5	1.6
3"	133.5	76.2	1.6
4"	173.5	101.6	2



BS 长型焊接式三通
BS Long Welded Tee


SIZE	L1	D	T
1"	65	25.4	1.6
1.5"	85	38.1	1.6
2"	110	50.8	1.6
2.5"	135	63.5	1.6
3"	155	76.2	1.6
4"	195	101.6	2

BS 长焊接式三通
BS Long Welded Tee




SIZE	L1	D	T
1/2"	47.6	12.7	1.6
3/4"	50.8	19.05	1.6
1"	54	25.4	1.6
1.5"	60.3	38.1	1.6
2"	73	50.8	1.6
2.5"	79.4	63.5	1.6
3"	85.7	76.2	1.6
4"	104.8	101.6	2

BS 卡箍式三通
BS Clamped Tee




SIZE	L1	B	T
1/2"	57.2	25.4	1.6
3/4"	60.3	25.4	1.6
1"	66.7	50.5	1.6
1.5"	73	50.5	1.6
2"	85.7	64	1.6
2.5"	92.1	77.5	1.6
3"	98.4	91	1.6
4"	120.7	119	2

BS 焊接式四通
BS Welded Cross



SIZE	L1	D	T
1"	65	25.4	1.6
1.5"	85	38.1	1.6
2"	110	50.8	1.6
2.5"	135	63.5	1.6
3"	155	76.2	1.6
4"	195	101.6	2

BS 焊接式大小头
BS Welded Reducer



SIZE	L1	L2	D	b	T
1.5" × 1"	28	29	38.1	25.4	1.6 × 1.6
2" × 1"	49	48	50.8	25.4	1.6 × 1.6
2" × 1.5"	31	39	50.8	38.1	1.6 × 1.6
2.5" × 1"	76	73	63.5	25.4	1.6 × 1.6
2.5" × 1.5"	48	47	63.5	38.1	1.6 × 1.6
2.5" × 2"	41	44	63.5	50.8	1.6 × 1.6
3" × 1"	100	95	76.2	25.4	1.6 × 1.6
3" × 1.5"	74	70	76.2	38.1	1.6 × 1.6
3" × 2"	50	46	76.2	50.8	1.6 × 1.6
3" × 2.5"	40	36	76.2	63.5	1.6 × 1.6
4" × 1.5"	128	115	101.6	38.1	2 × 1.6
4" × 2"	100	91	101.6	50.8	2 × 1.6
4" × 2.5"	75	69	101.6	63.5	2 × 1.6
4" × 3"	51	78	101.6	76.2	2 × 1.6